

TUBA Turbine GmbH Paul-Ehrlich-Str. 15

60596 Frankfurt/Germany
Telefon: +49 69 69 71 61 61
Telefax: +49 69 69 71 61 41
Mobil: +49 171 75 25 838
Mail: office@tuba-turbine.de

Skype: tubaturbine

Internet: <u>www.tub</u>a-turbine.de

(Ref.-Nr.: ST170)

# 31,8 MW Condensing Steam Turbine GEC Alsthom with Extraction, for sale:



### **Technical Details:**

**Manufacturer:** GEC Alsthom

**Type:** TM 2 - 35.8

Year of Manufacturer: 1998

Power: 31,8 MW

Live steam pressure: 71 bar / 510°C

Frequency: 50 Hz

Running Hours: 73 227

## Scope of Supply:

- -Steam Turbine
- -Alternator
- -Steam piping, instrumentation and valves
- -Control panels
- -Lubrication system (water cooled)
- -Complete building with steel structure
- -Technical documentation
- -Spare parts

**Price**: 795.000,-- EUR / - subject to prior sale -

**Payment:** Pre- Investment, Financing, IPP, Leasing possible.

**Validity:** 30 days prior to sale

**Delivery:** Immediately

**Option:** Dismantling and Commissioning

In case you have any questions, please do not hesitate to contact our office.

#### **Disclaimer**

The content and works provided on these Web pages are governed by the copyright laws of Germany. Duplication, processing, distribution, or any form of commercialization of such material beyond the scope of the copyright law shall require the prior written consent of its respective author or creator.

CASE		1	2	3	4
		Max Condesation	Max Extraction	Only Live Steam	Unfired Boiled
Live steam @70 barg/510℃	t/h	103,9	103,9	103,9	59,7
Steam Injection @40 barg/350°C	t/h	10,7	10,7	0,0	0,0
Steam Extraction 5 barg	t/h	0,0	38,4	0,0	0,0
Condesation flow	t/h	114,6	76,2	103,9	59,7
POWER	MW	30,20	24,44	29,34	15,73

## Steam Flow Range:

» Live steam: 35 to 103,9 t/h

Injection at 40 barg /350 °C: 0 to 10,7 t/h
 Extraction at 5 barg: 0 to 38,4 t/h

# E. Flowsheets



















